

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15
African-American Adolescent Women Only

Name of Intervention	SISTA Project (Social Skills Training) C-9, FS-29
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Multiple Partners • Injected Drug Use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Poor Self-efficacy • Poor communication/negotiation skills • Group Norms • Lack of social support
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Communication and Negotiation Skills • Increase Risk Perception • Increase Self Efficacy
Type	GLI
Setting	CBOs and other Venues
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Provides opportunities to practice skills. Culturally specific. Increases appropriate social support.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15

Name of Intervention	Adolescent Living Safely: AIDS awareness, attitudes and Actions for Gay, Lesbian and bisexual youth Sutherland Miller, et al. www.chipts.ucla.edu
Risk Behavior(s)	Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Negative attitudes toward condom use • Poor negotiation and communication skills • Poor self-efficacy • Self-esteem • Lack of knowledge about HIV/STDs • Substance use during/ before sex
Intended Immediate Outcomes	Increase knowledge about homosexuality to improve self esteem (if gay, bisexual) Increase knowledge of HIV/STDs Increase risk perception Increase intent to use condoms
Type	Unknown
Setting	Unknown
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Community based program aiming at increasing awareness and social support and changing group norms among adolescents.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15

Name of Intervention	Project RESPECT C-11, FS-35
Risk Behavior(s)	Unprotected Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Perceived susceptibility • Poor attitudes toward condom use • Expected outcomes
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Risk Perception • Increase Intent to use Condoms
Type	ILI
Setting	STD Clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Promotes HIV testing and provides two different approaches to the same intervention, so it can be tailored to meet individual needs.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15

Name of Intervention	Street Smart: Reductions in HIV Risk Among Runaway Youth C-23,FS-58
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Substance Use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Low self-efficacy • Group Norms • Poor communication/ negotiation skills • Substance use
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Risk Perception • Increase Knowledge of Harm Reduction Methods • Increase Access to Health Care
Type	GLI
Setting	Shelters for Runaway Youth
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Increase access to health care. Aims at changing group norms and increasing HIV/STD knowledge.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15

Name of Intervention	Becoming A Responsible Teen (BART) C-25
Risk Behavior(s)	Unprotected Sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Lack of knowledge • Low perceived susceptibility • Poor negotiation skills • Group norms • Social support
Intended Immediate Outcomes	<ul style="list-style-type: none"> • Increase Risk Perception • Increase Communication and Negotiation Skills • Increase Condom Use
Type	GLI
Setting	Public Health Clinics
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Provides opportunities to practice skills. Increases social support. May be adapted for cultural competency.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15

Name of Intervention	Internet Based Interventions
Risk Behavior(s)	Lack of knowledge of HIV and STD information
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Lack of knowledge about HIV/STD • Perceived limited access to prevention services
Intended Immediate Outcomes	Increase knowledge Increase access to testing
Type	ILI
Setting	Private home or other places to access the internet
Is this intervention currently being provided in your planning area?	yes
Rationale for Selecting this Intervention:	Many young MSM reporting using the Internet to access information about services and to seek sexual partners.

Area 3 North Central
Dallas HMAZ
Tab 7 – Intervention Selection Form

Subpopulation: FMS Men & Women Adolescents Ranking: Men 20 Women 15

Name of Intervention	Outreach HIV/STD Testing
Risk Behavior(s)	<ul style="list-style-type: none"> • Unprotected Sex • Multiple Partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility
Intended Immediate Outcomes	Increase access to testing Increase knowledge of serostatus and/or STD infection status Develop a risk reduction plan Increase access to needed diagnosis and treatment
Type	Other
Setting	Non-Traditional Test Sites
Is this intervention currently being provided in your planning area?	Yes
Rationale for Selecting this Intervention:	High HIV/ STD morbidity among this population.